

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: March 12, 1993

Date Received: March 10, 1993


Project: 7238, Metro Self Monitor, PO #M28023

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC**
Results Reported as mg/L (ppm)



Sample ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M28023	1.3	0.3	0.9	0.3
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M28023 (Duplicate)	1.2	0.3	0.9	0.3
M28023 (Matrix Spike) % Recovery	97%	93%	99%	99%
M28023 (Matrix Spike Duplicate) % Recovery	95%	93%	97%	99%
Spike Blank % Recovery	104%	99%	102%	101%
Spike Level	5	5	10	5

3. ~~10.93~~ A
3. 10.93
1:30 PM

Send Report To: Alaskan Copper Works Contact Gerald Thompson
Company 628 HANFORD ST
Address Seattle WA 98134
City, State, Zip (206) 623-5800 X218
Phone # 3/10/93
Date

SITE NO.		PROJECT NAME		PURCHASE ORDER #	
7238		Metro Self Mon. doc		M 28023	
SAMPLERS (signature)				PROJECT LOCATION	
				3200 6th Ave S.	
REMARKS				SAMPLE DISPOSAL INFORM.	
				<input type="checkbox"/> Dispose after 30 days <input checked="" type="checkbox"/> Return Samples <input type="checkbox"/> Call for Instructions	

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	Gerald Thompson	Alaskan Copper Works	3/10/93	1:28 pm
Received by: 	C R Hicks	FBI	3-10-93	1:30 PM
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

March 12, 1993

INVOICE # 93ACU0312-1

DUPLICATE COPY

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project 7238, Metro Self Monitor, PO #M28023: Results of testing requested
by Gerry Thompson, Project Leader and submitted on March 10, 1993.**

**1 water sample analyzed for Chromium, Copper, Nickel
and Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

March 12, 1993


Gerry Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on March 10, 1993 from Project 7238, Metro Self Monitor, PO #M28023.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,



Bradley T. Benson
Chemist

BTB/dp

Enclosures